



*We provide
energy
for life!*

Product information

KWB EASYFIRE

Pellet heating system



KWB EASYFIRE

Pellet heating systems 2.4 – 35 kW

Easy and clean heating

clean⁺ **EFFICIENCY**
Combustion technology

Biomass is best!

Four good reasons why you should use biomass as a renewable power source.



**Save on
heating costs**



**Security of
supply**



**Protecting
the climate**



**Creates
local jobs**

Valuable partnership



Erwin Stubenschrott
KWB Management

More than 2,000 installers and more than 70,000 customers put their trust in us by deciding to purchase a KWB biomass system. We regard this as a Partnership with KWB and this "valuable asset" is an integral component of our company philosophy and the basis of our business relationships. In addition, KWB focuses on customers, reliability and importantly our responsibility for our environment and future generations. This is my personal guarantee!

"Good friends recommended KWB to us, which made us trust them immediately!"
The Appls from Augsburg



"I quickly found the ideal heating solution for my home."
Mr. Gartner from Kirchbach



Our uniqueness sets us apart

KWB PELLET STIRRER PLUS

There are many fully automated ways to keep your KWB pellet heating system supplied with fuel. The KWB pellet stirrer plus is a convenient and reliable option that is suitable for most storage rooms.



Entire room used

Thanks to the flat base design giving maximum storage capacity.

Reliable technology

Thanks to a robust got flexible conveyor shaft.



Dual operation

EASY AND FLEXIBLE CONTROL



The new KWB Comfort 4 heating control system with dual control permits a customised and cost-optimised heat supply as well as the convenient operation of your heating system.

Easy operation

EASY AND CLEAN HEATING

Ideal for customers that want a fully automated and easy to use heating system: The KWB Easyfire pellet heating system is almost as convenient as an oil or gas heating system, but it is also sustainable because it uses wood, a renewable resource. The ash container can be easily and conveniently emptied out after using approximately 6 tons of pellets. Depending on system size, this means an ash-emptying interval of up to 2 years.




Easy and clean heating

Thanks to CleanEfficiency Technology, the KWB Easyfire wood pellet heating system is a milestone on the path towards an emission-free heating technology. The KWB Easyfire pellet heating system also sets a new benchmark for easy heating.



You can find more information regarding the combustion technology on www.youtube.com/biomasseheizungen



Low energy costs

The KWB Easyfire pellet heating system energy consumption was reduced to a minimum – which saves money.¹



Convenient emptying of ash

The ash is automatically removed into a dedicated ash container – The comfort version offers a movable ash container with an extendable handle.

Cleanest combustion

Thanks to the broadband lambda probe

Easy heat exchange

Due to integrated return flow temperature boost – which saves on additional installation costs


High convenience

Thanks to an automatic heat exchanger cleaning – which eliminates cleaning between service intervals



Long service life

Thanks to state-of-the-art components such as industrial-quality motors



Low fuel consumption

Due to an optimal heat exchange with highly efficient turbulators

Low maintenance

Thanks to a fully self-cleaning system between service intervals

Lowest emissions

Due to a dust separator with cyclone effect



Dual operation

The KWB Comfort 4 Control, with the tried and tested control dial and touch screen display, permits flexible control – and even remote control.




Clean combustion

The 40,000 times proven under-feed burner ensures a stable ember bed and clean combustion.


¹ Source: Annual power consumption statistic Austria; model for electricity usage in private households in Austria broken down by use, Vienna 2014.
The calculation is based on an average electricity price of 19 cents / kWh.

Customised solutions


KWB CONVEYOR SYSTEMS



**Pellet Stirrer Plus
with elbow screw**




**Conveyor screw
with elbow screw**




**KWB Pellet Big Bag
with elbow screw**




**Pellet Stirrer Plus
with suction conveyor**




**Conveyor screw
with suction conveyor**




**KWB Pellet Big Bag
with suction conveyor**



**KWB storage container
300l**



**KWB sample probes
with suction conveyor**




**KWB Pellet Box
with suction conveyor**

Clean combustion

clean⁺ EFFICIENCY – TECHNOLOGY

The cleanEfficiency chart shows that we have the lowest emission values, highest efficiency and low energy consumption as well as a perfect alignment of construction and control elements.

Emission values at nominal load



Quick heat and more efficiency

The use of a KWB thermal storage system is only required if the nominal boiler load is 20% greater than the average building heating load. This will not only allow you to run your heating cleaner and more efficiently, you will also be able to have heat available quickly when needed.

Easy thermal storage tank size calculations:

30 litre storage volume / kW nominal boiler load.

Technical specifications


EF2 S / EF2 GS / EF2 V (16.12.2015)	Unit	8	12	15	22	25	30	35 (IT)	35
Rated power	kW	8,0	12,0	15,0	22,0	25,0	30,0	33,0	34,9
Partial load	kW	2,4	3,5	4,4	6,4	7,3	8,7	9,5	10,1
Boiler efficiency at rated power	%	92,4	94,0	94,3	95,0	95,2	95,4	95,6	95,7
Boiler efficiency at partial load	%	91,4	89,4	90,0	91,5	92,4	93,8	94,7	95,3
Boiler class according to EN 303-5:2012	-	5	5	5	5	5	5	5	5
Exhaust-gas side									
Exhaust-gas connection height boiler side	mm	750	750	860	860	1050	1050	1050	1050
Exhaust-gas pipe diameter	mm	130	130	130	130	150	150	150	150
Ash									
Ash container volume	l	28	28	28	28	28	28	28	28
Electrical system									
Connection: CEE 3-pole	-	230 V _{AC} 50 Hz, 13 A	230 V _{AC} 50 Hz, 13 A	230 V _{AC} 50 Hz, 13 A	230 V _{AC} 50 Hz, 13 A	230 V _{AC} 50 Hz, 13 A	230 V _{AC} 50 Hz, 13 A	230 V _{AC} 50 Hz, 13 A	230 V _{AC} 50 Hz, 13 A
Suction conveyor type EF2 GS									
Max. suction length	m	25	25	25	25	25	25	25	25
Max. suction head	m	5	5	5	5	5	5	5	5
Contents storage container for type EF2 GS	l	42	42	67	67	90	90	90	90
Weights									
Boiler weight EF2 S	kg	326	326	352	352	394	394	394	394

Note: You will find detailed technical specifications on our website's KWB Easyfire product pages.

Low space requirements


The KWB Easyfire pellet heating system can be placed directly in room corners for optimal space utilization.

Type EF2 S




Heating room size 2.3 m²
Storage room size from 6 m³ (8 kW) to 26 m³ (35 kW)

Type EF2 GS




Heating room size 2.6 m²
Storage room size from 6 m³ (8 kW) to 26 m³ (35 kW)

Type EF2 S+300



Heating room size 2.8 m²
No additional storage room required!

Type EF2 V



Heating room size 2.6 m²
No additional storage room required!

Position in drawing	EF2 8–12 kW				EF2 15–22 kW				EF2 25–35 kW			
	S	GS	V	S+300	S	GS	V	S+300	S	GS	V	S+300
H1	165	165	165	165	195	195	195	195	230	230	230	230
H2	–	126	146	146	–	146	146	146	–	164	146	146
H3	126	126	146	126	146	146	146	146	164	164	146	164
L1	40	40	40	10	40	40	40	10	40	40	40	10
L2	88	106	106	148	88	106	106	148	88	106	106	148
L3	10	10	10	10	10	10	10	10	10	10	10	10
L4	>138	>156	>156	>168	>138	>156	>156	>168	>138	>156	>156	>168
T1	40	40	40	40	40	40	40	40	40	40	40	40
T2	93	93	93	93	93	93	93	93	93	93	93	93
T3	40	40	40	40	40	40	40	40	40	40	40	40
T4	>167	>167	>167	>167	>167	>167	>167	>167	>167	>167	>167	>167

S KWB Easyfire type EF2 S: screw conveyor system
GS KWB Easyfire type EF2 GS: suction conveyor system

V KWB Easyfire type EF2 V: storage container 107 litres
S+300 KWB Easyfire type EF2 S with storage container 300 litres

An unobstructed door width of 70×180 cm is sufficient for all boiler types to be able to transport KWB Easyfire components into the respective room.

Information regarding the hydraulics requirements can be downloaded at our Websites.



Clear and simple assembly

KWB'S MODULAR ASSEMBLY SYSTEM

*All KWB systems can be dismantled into several modules, which allows our products to be placed in almost every heating room and easily installed even in tight spaces. We call it the **KWB modular assembly system**.*



You can schedule less time because your technician can move the heating system into the heating room more quickly.



Simplified construction site coordination, since your technician does not require expensive installation aids.



The reduced weight of the individual pieces makes them less likely to scratch any surfaces thereby preserving and protecting the space.



KWB Easyfire – boiler can be dismantled into 2 parts



KWB partners

AVAILABLE ON-SITE

Your KWB Partner will be happy to help you if you have any questions or other requests. If you would like to contact KWB directly, you will find your local contacts here. We look forward to hearing from you!



Scotland	+44 1330 826 504	www.kwb-heating.co.uk	info@originalheating.com
North England	+44 1524 784 323	www.kwb-heating.co.uk	care@sustaburn.co.uk
Central England and Wales	+44 1162 604 050	www.kwb-heating.co.uk	info@ashwellbiomass.com
South England	+44 1271 372 888	www.kwb-heating.co.uk	info@optimumheating.co.uk
Ireland and Northern Ireland	+44 2871 353 108	www.kwb.ie	info@originalheating.com
Canada	+1 450 641 1344	www.kwb-canada.ca	info@esimsolutions.ca
Japan	+81 3 4405 8088	www.kwb.net	info@wbenergy.co.jp



Porto zahlt
KWB gerne!

first name, last name*

No./street name*

Postal code/town/city*

Tel./Mobile*

E-mail

first name, last name*

No./street name*

Postal code/town/city*

Tel./Mobile*

E-mail

* mandatory field

ANTWORTSENDUNG

KWB Die Biomasseheizung
Industriestrasse 235
8321 St. Margarethen/Raab
AUSTRIA

Your information will not be disclosed to third parties,
but may be used for internal information purposes.

RECOMMEND US!

According to a recent customer survey, **97%** of all KWB customers recommend KWB and its products to others.

PI Easyfire2 EF2 2016 EN
Index 0

As at: February 2016, Subject to changes
and to type and printing errors.



* 2 1 - 2 0 0 1 6 0 0 *